

See-through patch

For any colour of material

Adhesive

On all textures

Suitable

for use in all temperatures

UV resistant

material

Cuts easily

with scissors

Firm and Air tight

even when tensioned

TEMPERATURE:
Approximate Range:
TYPE A: -30°C TO 60°C

The TEAR-AID repair patch A is made from an exceptionally tough, matte finish, abrasion resistant, polyurethane elastomer that resists puncture and tearing. It is combined with an aggressive adhesive formulated for high strength bond to a variety of surfaces such as acrylic, polyester, canvas, nylon. Patch Type A provides a simple and easy method of patching holes and tears as well as an excellent protective film.

Repair holes & tears instantly

(Awning Acrylic - Awning Polyester (Including Roofs))

See through patch

TYPE A

TEAR-AID™ Patch

Repair set


Isabella

Instruction incl.


Isabella
TEAR-AID™ Patch




Instruction 1 —



Instruction 2 —




Isabella[®]
TEAR-AID™ Patch



See-through patch

For any colour or material

Adhesive

On all textures

Suitable

for use in all temperatures

UV resistant

material

Cuts easily

with scissors

Firm and Air tight

even when tensioned

TEMPERATURE:

Approximate Range:
TYPE B: -30°C TO 85°C

The TEAR-AID repair patch B is made from an exceptionally tough, matte finish, abrasion resistant, polyurethane elastomer that resists puncture and tearing. It is combined with an aggressive adhesive formulated for high strength bond to a variety of surfaces such as vinyl and vinyl coated material. Patch B provides a simple and easy method of patching holes and tears as well as an excellent protective film.

Repair holes & tears instantly

Vinyl only

(PVC Roofs - Awning Windows - Awning lower Panels)

See through patch

TYPE B

TEAR-AID™ Patch


Repair set

Isabella


Instruction incl.



Instruction 1



Instruction 2




Isabell
TEAR-AID™ Patch